

2003 ANNUAL GROUNDWATER REPORT

This report has been prepared by Kaweah Delta Water Conservation District and presents groundwater measurements that were taken throughout the District. This information is intended to provide the District Board of Directors and participants with groundwater data that will allow for the evaluation of past and current groundwater conditions within the District.

The groundwater measurements were taken in the months of February and October for spring and fall, respectively, at wells located within the Kaweah Delta Water Conservation District boundaries. The data was collected by Kaweah Delta Water Conservation District, Kings County Water District, and Tulare Irrigation District.

Many groundwater measurements were taken, but only the groundwater depths from well sites in each respective season of 2002 and 2003 were compared. In the spring of 2003 the average depth to groundwater within the District was approximately 94 ft., which reflected an average increase in groundwater depth of 9.5 ft. The depth of groundwater for the fall of 2003 averaged 104.7 ft., which reflected an average increase in groundwater depth of 2.6 ft.

TABLE OF CONTENTS

APPENDIX	PAGE
PRELIMINARY REPORT	1
AVERAGE GROUNDWATER CHANGES	2
AVERAGE GROUNDWATER CHANGES BY HYDROLOGIC ZONES	3
DISTRICT GRAPHICAL ANALYSIS OF DEPTH COMPARISON	4
GRAPH OF DEPTH VS. WATER YEARS	5
2002/2003 DEPTHS AND COMPARISONS (ZONES 1- 6)	Appendix

**KAWEAH DELTA WATER
CONSERVATION DISTRICT
2002 - 2003
PRELIMINARY REPORT
(IN ACRE-FEET)**

WATER SUPPLY

TERMINUS INFLOW	<u>425,891</u>
CREEK FLOW	<u>8,860</u>
CVP	<u>74,296</u>
KINGS RIVER	<u>11,703</u>
TOTAL	<u><u>520,750</u></u>

Terminus inflow of 425,891 AF was 96% of the 50-year average.
The April - July flow of 268,027 AF was 95% of 50-year average.

Creek Flow is the yearly total of Dry Creek, Yokohl Creek,
and Cottonwood Creek.

KAWEAH DELTA WATER CONSERVATION DISTRICT AVERAGE GROUND WATER CHANGES

SPRING 2002 - 2003 COMPARISON

AGENCY RECORDING MEASUREMENTS	NUMBER OF WELLS MEASURED SPRING 2003	NUMBER OF WELLS COMPARED to 2002	AVERAGE CHANGE IN GROUNDWATER DEPTH
KDWCD	140	140	-7.4
TID	96	94	-10.0
KCWD	34	33	-16.8
COMBINED	270	267	-9.5

FALL 2002 - 2003 COMPARISON

AGENCY RECORDING MEASUREMENTS	NUMBER OF WELLS MEASURED FALL 2003	NUMBER OF WELLS COMPARED to 2002	AVERAGE CHANGE IN GROUNDWATER DEPTH
KDWCD	128	112	-2.7
TID	94	90	-5.7
KCWD	38	37	5.0
COMBINED	260	239	-2.6

KDWCD - Kaweah Delta Water Conservation District (5603)

TID - Tulare Irrigation District (5604)

KCWD - Kings County Water District (5129)


KAWEAH DELTA WATER CONSERVATION DISTRICT AVERAGE GROUND WATER CHANGES BY HYDROLOGIC ZONES

SUMMARY SPRING 2002 - SPRING 2003

HYDROLOGIC ZONE	NUMBER OF WELLS COMPARED	SPRING 2002 AVG DEPTH TO WATER	SPRING 2003 AVG DEPTH TO WATER	AVERAGE CHANGE IN DEPTH
1	12	25.4	23.7	1.7
2	21	64.1	70.4	-6.3
3	8	48.4	51.4	-2.9
4	35	54.0	62.1	-8.0
5	85	93.2	101.1	-8.0
6	106	101.0	114.6	-13.6
TOTAL	267	84.5	94.0	-9.5

SUMMARY FALL 2002 - FALL 2003

HYDROLOGIC ZONE	NUMBER OF WELLS COMPARED	FALL 2002 AVG DEPTH TO WATER	FALL 2003 AVG DEPTH TO WATER	AVERAGE CHANGE IN DEPTH
1	10	31.7	31.1	0.6
2	14	75.6	77.0	-1.4
3	8	58.2	60.3	-2.1
4	28	74.6	77.3	-2.7
5	77	109.5	114.4	-4.9
6	102	118.0	119.3	-1.4
TOTAL	239	102.1	104.7	-2.6



DISTRICT HYDROLOGIC ZONES
2003

ZONE 1			
2002 Spring	2003 Spring	2002 Fall	2003 Fall
25.4	23.7 Ft	31.7 Ft	31.1 Ft
Ground Water Depth in Feet			

ZONE 2			
2002 Spring	2003 Spring	2002 Fall	2003 Fall
64.1 Ft	70.4 Ft	75.6 Ft	77.0 Ft
Ground Water Depth in Feet			

ZONE 3			
2002 Spring	2003 Spring	2002 Fall	2003 Fall
48.4 Ft	51.4 Ft	58.2 Ft	60.3 Ft
Ground Water Depth in Feet			

ZONE 4			
2002 Spring	2003 Spring	2002 Fall	2003 Fall
54.0 Ft	62.1 Ft	74.6 Ft	77.3 Ft
Ground Water Depth in Feet			


ZONE 5			
2002 Spring	2003 Spring	2002 Fall	2003 Fall
93.2 Ft	101.1 Ft	109.5 Ft	114.4 Ft
Ground Water Depth in Feet			

ZONE 6			
2002 Spring	2003 Spring	2002 Fall	2003 Fall
101.0 Ft	114.6 Ft	118.0 Ft	119.3 Ft
Ground Water Depth in Feet			

DISTRICT AVERAGE			
2002 Spring	2003 Spring	2002 Fall	2003 Fall
84.5 Ft	94.0 Ft	102.1 Ft	104.7 Ft
Ground Water Depth in Feet			

Kaweah Delta Water Conservation District

Fall Water Depth Compared to Percent Water Year



1956 - 2003 Water Years



KAWEAH DELTA WATER CONSERVATION DISTRICT GROUNDWATER READINGS

AGENCY CODE	TOWNSHIP (EAST)	RANGE (SOUTH)	SECTION	LOCATION CODE	HYDROLOGIC ZONE	SPRING			FALL		
						2002	2003	CHANGE	2002	2003	CHANGE
						DEPTH TO WATER	DEPTH TO WATER	IN DEPTH	DEPTH TO WATER	DEPTH TO WATER	IN DEPTH
5603	17	26	36	R1	1	18.5	18.5	0.0	38.5	37.5	1.0
5603	18	26	1	Q3	1	23.0	23.0	0.0	29.0	23.0	6.0
5603	18	26	9	H1	1	22.5	22.5	0.0	34.5	-	N/A
5603	18	26	10	J1	1	20.0	21.5	-1.5	26.5	27.5	-1.0
5603	18	26	16	K1	1	18.0	17.0	1.0	25.0	23.0	2.0
5603	18	26	17	L1	1	29.0	24.5	4.5	33.0	27.0	6.0
5603	18	26	19	B2	1	33.5	32.5	1.0	22.5	40.5	-18.0
5603	18	26	24	J2	1	34.0	36.5	-2.5	50.0	48.0	2.0
5603	18	26	24	J3	1	37.0	39.5	-2.5	51.0	51.0	0.0
5603	18	27	5	J1	1	16.5	17.0	-0.5	16.5	14.5	2.0
5603	18	27	7	B1	1	28.0	17.0	11.0	22.0	-	N/A
5603	18	27	7	R2	1	25.0	15.0	10.0	25.0	19.0	6.0

Zone 1 for KDWCD

Wells compared = 12 Wells compared = 10

Change in water depth = 1.7 Change in water depth = 0.6

KAWEAH DELTA WATER CONSERVATION DISTRICT GROUNDWATER READINGS

AGENCY CODE	TOWNSHIP (EAST)	RANGE (SOUTH)	SECTION	LOCATION CODE	HYDROLOGIC ZONE	SPRING			FALL		
						2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH	2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH
						5603	17	23	27	L1	2
5603	17	24	20	L1	2	17.5	23.5	-6.0	18.5	25.0	-6.5
5603	17	24	27	F1	2	33.2	37.2	-4.0	-	-	N/A
5603	17	24	34	B1	2	44.5	45.5	-1.0	61.0	61.5	-0.5
5603	17	24	36	H1	2	67.5	67.5	0.0	64.5	81.0	-16.5
5603	17	25	29	E1	2	107.0	104.0	3.0	-	112.5	N/A
5603	18	24	2	H1	2	64.5	84.5	-20.0	-	111.5	N/A
5603	18	24	4	J1	2	57.5	65.5	-8.0	87.5	90.5	-3.0
5603	18	24	10	J1	2	67.0	83.0	-16.0	83.5	91.5	-8.0
5603	18	24	13	H2	2	70.0	73.0	-3.0	79.0	78.0	1.0
5603	18	24	15	R3	2	88.0	97.0	-9.0	100.0	96.0	4.0
5603	18	25	4	H1	2	65.5	80.0	-14.5	89.0	90.5	-1.5
5603	18	25	5	E2	2	84.0	84.0	0.0	89.0	90.5	-1.5
5603	18	25	5	Q1	2	72.0	80.0	-8.0	91.5	88.0	3.5
5603	18	25	15	A2	2	55.0	58.0	-3.0	71.5	63.5	8.0
5603	18	25	15	C1	2	60.0	62.0	-2.0	66.0	63.0	3.0
5603	18	25	16	B1	2	64.5	73.0	-8.5	74.0	-	N/A
5603	18	25	18	A1	2	65.0	72.0	-7.0	75.0	-	N/A
5603	18	25	19	H1	2	74.0	81.0	-7.0	87.0	85.5	1.5
5603	18	25	20	J1	2	65.0	75.0	-10.0	71.0	74.0	-3.0
5603	18	25	22	P1	2	49.5	54.0	-4.5	47.5	-	N/A
5603	18	26	7	L1	2	-	-	N/A	-	-	N/A

Zone 2 for KDWCD

Wells compared = 21 Wells compared = 14

Change in water depth = -6.3 Change in water depth = -1.4

KAWEAH DELTA WATER CONSERVATION DISTRICT GROUNDWATER READINGS

AGENCY CODE	TOWNSHIP (EAST)	RANGE (SOUTH)	SECTION	LOCATION CODE	HYDROLOGIC ZONE	SPRING			FALL		
						2002	2003	CHANGE	2002	2003	CHANGE
						DEPTH TO WATER	DEPTH TO WATER	IN DEPTH	DEPTH TO WATER	DEPTH TO WATER	IN DEPTH
5603	18	25	23	J1	3	38.0	39.5	-1.5	46.0	44.0	2.0
5603	18	25	27	Q1	3	-	-	N/A	-	-	N/A
5603	18	25	33	R1	3	58.5	63.5	-5.0	66.0	87.5	-21.5
5603	18	25	34	L1	3	-	-	N/A	-	-	N/A
5603	18	26	29	D1	3	-	-	N/A	-	-	N/A
5603	18	26	30	N1	3	37.0	37.5	-0.5	49.5	46.0	3.5
5603	19	25	1	P1	3	37.5	30.0	7.5	49.5	39.5	10.0
5603	19	25	2	A1	3	44.0	44.5	-0.5	47.0	46.5	0.5
5603	19	25	7	K1	3	-	-	N/A	-	-	N/A
5603	19	25	7	K3	3	-	-	N/A	-	-	N/A
5603	19	25	9	H1	3	59.0	67.5	-8.5	69.5	76.0	-6.5
5603	19	25	10	R1	3	52.5	63.5	-11.0	71.0	71.5	-0.5
5603	19	25	16	A2	3	61.0	65.0	-4.0	67.0	71.0	-4.0

Zone 3 for KDWCD

Wells compared = 8 Wells compared = 8

Change in water depth = -2.9 Change in water depth = -2.1

KAWEAH DELTA WATER CONSERVATION DISTRICT GROUNDWATER READINGS

AGENCY CODE	TOWNSHIP (EAST)	RANGE (SOUTH)	SECTION	LOCATION CODE	HYDROLOGIC ZONE	SPRING			FALL		
						2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH	2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH
5603	18	26	32	A1	4	20.0	20.0	-	19.5	21.5	-2.0
5603	19	25	13	A2	4	36.0	43.5	-7.5	43.0	50.0	-7.0
5603	19	25	23	D2	4	47.5	54.5	-7.0	58.0	55.5	2.5
5603	19	25	24	M1	4	47.5	53.5	-6.0	54.5	55.5	-1.0
5603	19	25	27	A1	4	60.5	64.0	-3.5	74.0	70.0	4.0
5603	19	25	28	H1	4	61.0	70.0	-9.0	76.0	78.0	-2.0
5603	19	25	34	A2	4	58.5	67.0	-8.5	78.0	77.5	0.5
5603	19	25	35	B2	4	50.0	59.5	-9.5	66.5	76.0	-9.5
5603	19	26	4	J1	4	56.0	-	N/A	-	-	N/A
5603	19	26	5	C1	4	27.0	25.5	1.5	-	29.5	N/A
5603	19	26	5	N1	4	32.8	38.8	-6.0	39.8	44.3	-4.5
5603	19	26	9	J2	4	-	-	N/A	-	-	N/A
5603	19	26	16	J2	4	64.5	60.5	4.0	-	79.0	N/A
5603	19	26	17	L1	4	44.5	52.5	-8.0	59.5	59.5	0.0
5603	19	26	20	A1	4	46.5	54.5	-8.0	59.5	-	N/A
5603	19	26	21	J1	4	53.0	-	N/A	-	69.0	N/A
5603	19	26	28	D1	4	47.5	54.0	-6.5	61.0	65.0	-4.0
5603	19	26	30	D1	4	45.0	53.0	-8.0	55.0	60.0	-5.0
5603	19	26	30	Q1	4	45.0	53.0	-8.0	66.0	65.0	1.0
5603	19	26	33	C1	4	43.0	53.0	-10.0	68.0	-	N/A
5603	19	26	33	M1	4	44.0	52.5	-8.5	-	74.0	N/A
5603	20	25	1	A1	4	42.5	52.0	-9.5	63.5	71.5	-8.0
5603	20	25	3	R1	4	59.0	69.0	-10.0	81.0	80.0	1.0
5603	20	25	12	A1	4	45.5	59.5	-14.0	67.5	73.5	-6.0
5603	20	25	14	F1	4	60.5	69.5	-9.0	98.5	99.0	-0.5
5603	20	25	14	F2	4	65.0	71.5	-6.5	94.5	99.0	-4.5
5603	20	25	14	F4	4	57.0	65.0	-8.0	107.0	101.0	6.0
5603	20	25	16	J2	4	63.0	74.0	-11.0	90.0	98.0	-8.0
5603	20	25	17	A2	4	66.0	87.0	-21.0	109.0	111.0	-2.0
5603	20	25	21	J1	4	44.5	50.5	-6.0	51.5	48.0	3.5
5603	20	25	23	H1	4	69.0	77.0	-8.0	98.5	95.5	3.0
5603	20	25	24	R1	4	101.5	93.5	8.0	70.5	91.5	-21.0
5603	20	25	28	H2	4	71.0	84.0	-13.0	128.0	129.0	-1.0
5603	20	26	7	R2	4	66.5	75.5	-9.0	88.0	91.0	-3.0
5604	19	25	19	B1	4	77.0	87.0	-10.0	91.0	94.0	-3.0
5604	19	25	20	P1	4	56.0	77.0	-21.0	79.0	-	N/A
5604	19	25	29	B1	4	44.0	60.0	-16.0	55.0	-	N/A
5604	19	25	30	C1	4	82.0	91.0	-9.0	100.0	105.0	-5.0
5604	19	25	31	A1	4	-	-	N/A	-	-	N/A

Zone 4 for KDWCD - TID

Wells compared = 35 Wells compared = 28

Change in water depth = -8.0 Change in water depth = -2.7

KAWEAH DELTA WATER CONSERVATION DISTRICT GROUNDWATER READINGS

AGENCY CODE	TOWNSHIP (EAST)	RANGE (SOUTH)	SECTION	LOCATION CODE	HYDROLOGIC ZONE	SPRING			FALL		
						2002 DEPTH	2003 DEPTH	CHANGE IN DEPTH	2002 DEPTH	2003 DEPTH	CHANGE IN DEPTH
						TO WATER	TO WATER		TO WATER	TO WATER	
5129	18	23	15	A1	5	84.0	98.0	-14.0	98.0	83.7	14.3
5129	18	23	16	R1	5	-	-	N/A	-	-	N/A
5129	18	23	21	J1	5	88.0	116.0	-28.0	116.0	130.0	-14.0
5129	18	23	26	L1	5	101.0	112.0	-11.0	112.0	110.0	2.0
5129	18	23	27	P1	5	122.0	127.0	-5.0	127.0	152.0	-25.0
5129	18	23	28	B1	5	103.0	118.0	-15.0	118.0	113.0	5.0
5129	18	23	28	R1	5	105.0	109.0	-4.0	109.0	118.7	-9.7
5129	18	23	34	A1	5	100.0	113.0	-13.0	113.0	115.2	-2.2
5129	19	23	10	C1	5	80.0	92.0	-12.0	92.0	94.0	-2.0
5129	19	23	10	D1	5	74.0	104.0	-30.0	104.0	85.5	18.5
5129	19	23	11	C1	5	92.0	95.0	-3.0	95.0	101.0	-6.0
5603	18	23	2	Q1	5	70.5	95.5	-25.0	97.5	103.0	-5.5
5603	18	23	12	B1	5	89.0	86.5	2.5	118.5	-	N/A
5603	18	23	14	A1	5	85.5	91.0	-5.5	121.0	127.0	-6.0
5603	18	23	21	Q1	5	-	-	N/A	-	-	N/A
5603	18	23	24	K1	5	91.7	97.7	-6.0	123.7	135.2	-11.5
5603	18	23	26	F1	5	101.4	112.4	-11.0	136.4	135.9	0.5
5603	18	23	33	J1	5	113.0	120.5	-7.5	127.5	119.5	8.0
5603	18	23	34	A2	5	97.0	124.0	-27.0	145.0	147.0	-2.0
5603	18	24	6	H1	5	52.0	64.0	-12.0	71.0	-	N/A
5603	18	24	7	H1	5	65.5	70.5	-5.0	88.5	115.5	-27.0
5603	18	24	17	L1	5	71.0	82.0	-11.0	81.0	79.5	1.5
5603	18	24	31	C1	5	88.5	93.5	-5.0	119.5	-	N/A
5603	19	23	2	F1	5	86.5	98.5	-12.0	121.5	103.5	18.0
5603	19	23	10	Q1	5	99.4	115.4	-16.0	115.4	111.9	3.5
5603	19	23	11	C1	5	99.5	89.5	10.0	131.5	-	N/A
5603	19	23	12	L1	5	95.4	101.4	-6.0	100.4	107.4	-7.0
5603	19	23	22	H1	5	108.6	89.6	19.0	-	89.1	N/A
5603	19	24	3	A1	5	-	-	N/A	-	-	N/A
5603	19	24	4	D1	5	92.0	100.0	-8.0	41.0	44.0	-3.0
5603	19	24	6	N1	5	-	-	N/A	-	-	N/A
5603	19	24	14	B1	5	100.6	99.6	1.0	66.6	85.6	-19.0
5603	19	24	18	J1	5	123.6	106.6	17.0	135.6	123.6	12.0
5603	19	24	22	C1	5	103.6	106.6	-3.0	123.6	134.6	-11.0
5603	19	24	31	K1	5	109.2	116.7	-7.5	118.7	118.7	0.0
5603	20	24	24	H1	5	99.5	114.5	-15.0	157.5	-	N/A
5603	20	24	25	N1	5	51.0	50.0	1.0	55.0	57.0	-2.0
5603	20	24	34	C1	5	54.5	60.5	-6.0	61.5	62.0	-0.5
5603	20	25	19	R1	5	80.5	93.5	-13.0	139.5	136.5	3.0
5603	20	25	32	Q1	5	-	-	N/A	-	-	N/A
5603	21	24	1	L1	5	98.5	103.5	-5.0	189.5	182.5	7.0
5604	19	23	13	A3	5	86.0	92.0	-6.0	92.0	97.0	-5.0
5604	19	23	19	H1	5	82.0	96.0	-14.0	99.0	109.0	-10.0
5604	19	23	20	C1	5	85.0	98.0	-13.0	104.0	112.0	-8.0
5604	19	23	23	D1	5	79.0	89.0	-10.0	92.0	92.0	0.0
5604	19	23	24	L1	5	84.0	94.0	-10.0	96.0	97.0	-1.0
5604	19	23	25	C1	5	83.0	94.0	-11.0	94.0	97.0	-3.0
5604	19	23	25	L2	5	96.0	105.0	-9.0	108.0	-	N/A
5604	19	23	26	B1	5	74.0	84.0	-10.0	87.0	82.0	5.0
5604	19	23	27	A1	5	74.0	-	N/A	100.0	85.0	15.0
5604	19	23	35	H1	5	84.0	98.0	-14.0	90.0	99.0	-9.0

KAWEAH DELTA WATER CONSERVATION DISTRICT GROUNDWATER READINGS

AGENCY CODE	TOWNSHIP (EAST)	RANGE (SOUTH)	SECTION	LOCATION CODE	HYDROLOGIC ZONE	SPRING			FALL		
						2002 DEPTH	2003 DEPTH	CHANGE IN DEPTH	2002 DEPTH	2003 DEPTH	CHANGE IN DEPTH
						TO WATER	TO WATER		TO WATER	TO WATER	
5604	19	24	10	G1	5	94.0	106.0	-12.0	119.0	137.0	-18.0
5604	19	24	13	C2	5	88.0	97.0	-9.0	104.0	108.0	-4.0
5604	19	24	14	A1	5	94.0	101.0	-7.0	108.0	110.0	-2.0
5604	19	24	16	P1	5	-	-	N/A	-	-	N/A
5604	19	24	17	A1	5	108.0	114.0	-6.0	126.0	141.0	-15.0
5604	19	24	17	N1	5	93.0	112.0	-19.0	125.0	147.0	-22.0
5604	19	24	18	R1	5	110.0	109.0	1.0	125.0	145.0	-20.0
5604	19	24	19	L1	5	94.0	105.0	-11.0	121.0	113.0	8.0
5604	19	24	20	J1	5	100.0	110.0	-10.0	125.0	131.0	-6.0
5604	19	24	22	C2	5	100.0	112.0	-12.0	104.0	106.0	-2.0
5604	19	24	22	P1	5	101.0	110.0	-9.0	119.0	129.0	-10.0
5604	19	24	23	D1	5	100.0	112.0	-12.0	124.0	165.0	-41.0
5604	19	24	24	A3	5	-	-	N/A	100.0	108.0	-8.0
5604	19	24	25	D1	5	98.0	-	N/A	104.0	120.0	-16.0
5604	19	24	27	H1	5	108.0	109.0	-1.0	109.0	123.0	-14.0
5604	19	24	27	Q1	5	105.0	111.0	-6.0	125.0	131.0	-6.0
5604	19	24	28	H1	5	109.0	113.0	-4.0	125.0	127.0	-2.0
5604	19	24	29	D1	5	108.0	109.0	-1.0	117.0	121.0	-4.0
5604	19	24	29	R1	5	107.0	115.0	-8.0	112.0	122.0	-10.0
5604	19	24	30	J1	5	102.0	114.0	-12.0	118.0	124.0	-6.0
5604	19	24	31	E1	5	111.0	130.0	-19.0	142.0	147.0	-5.0
5604	19	24	33	A2	5	106.0	112.0	-6.0	126.0	132.0	-6.0
5604	19	24	33	H1	5	104.0	114.0	-10.0	129.0	136.0	-7.0
5604	19	24	35	R1	5	-	-	N/A	-	-	N/A
5604	19	24	36	C1	5	103.0	108.0	-5.0	-	-	N/A
5604	19	24	36	R1	5	93.0	109.0	-16.0	-	137.0	N/A
5604	20	23	2	H1	5	81.0	93.0	-12.0	94.0	96.0	-2.0
5604	20	23	12	A1	5	94.0	99.0	-5.0	-	108.0	N/A
5604	20	24	4	E1	5	101.0	109.0	-8.0	115.0	122.0	-7.0
5604	20	24	4	J2	5	99.0	-	N/A	-	-	N/A
5604	20	24	6	A1	5	105.0	114.0	-9.0	126.0	133.0	-7.0
5604	20	24	7	G1	5	102.0	106.0	-4.0	107.0	121.0	-14.0
5604	20	24	9	M1	5	92.0	99.0	-7.0	105.0	109.0	-4.0
5604	20	24	14	R1	5	94.0	99.0	-5.0	109.0	113.0	-4.0
5604	20	24	15	P1	5	88.0	82.0	6.0	81.0	89.0	-8.0
5604	20	24	16	H1	5	118.0	114.0	4.0	143.0	142.0	1.0
5604	20	24	17	A2	5	85.0	93.0	-8.0	96.0	100.0	-4.0
5604	20	24	17	P1	5	84.0	77.0	7.0	81.0	-	N/A
5604	20	24	18	F1	5	104.0	117.0	-13.0	129.0	132.0	-3.0
5604	20	24	20	M2	5	79.0	88.0	-9.0	92.0	94.0	-2.0
5604	20	24	27	C1	5	70.0	68.0	2.0	72.0	97.0	-25.0
5604	20	24	28	L1	5	65.0	65.0	0.0	65.0	64.0	1.0
5604	20	24	29	B1	5	97.0	95.0	2.0	124.0	121.0	3.0
5604	20	25	6	C1	5	103.0	108.0	-5.0	106.0	111.0	-5.0
5604	20	25	18	M1	5	89.0	119.0	-30.0	132.0	138.0	-6.0

Wells compared = 85 Wells compared = 77

Zone 5 for KDWCD - TID - Kings

:change in water depth = -8.0 :change in water depth = -4.9

KAWEAH DELTA WATER CONSERVATION DISTRICT GROUNDWATER READINGS

AGENCY CODE	TOWNSHIP (EAST)	RANGE (SOUTH)	SECTION	LOCATION CODE	HYDROLOGIC ZONE	SPRING			FALL		
						2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH	2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH
5129	18	23	32	B1	6	119.0	122.0	-3.0	-	159.0	N/A
5129	18	23	33	C1	6	100.0	111.0	-11.0	111.0	113.0	-2.0
5129	19	21	23	J1	6	127.6	-	N/A	166.1	141.2	24.9
5129	19	21	24	L1	6	-	-	N/A	-	-	N/A
5129	19	21	25	J1	6	82.6	122.6	-40.0	123.0	103.8	19.2
5129	19	21	26	B1	6	162.7	185.2	-22.5	156.0	159.7	-3.7
5129	19	21	36	M1	6	31.9	41.0	-9.1	40.0	39.3	0.7
5129	19	22	4	B1	6	97.4	-	N/A	104.0	107.1	-3.1
5129	19	22	4	M1	6	97.0	114.0	-17.0	114.0	123.6	-9.6
5129	19	22	7	A1	6	-	-	N/A	-	-	N/A
5129	19	22	10	A1	6	-	-	N/A	-	-	N/A
5129	19	22	15	M1	6	84.3	-	N/A	109.0	117.5	-8.5
5129	19	22	19	M1	6	93.1	132.9	-39.8	109.0	102.3	6.7
5129	19	22	27	C1	6	-	-	N/A	-	-	N/A
5129	19	22	32	D1	6	126.2	133.1	-6.9	168.0	145.8	22.2
5129	19	22	36	E1	6	93.0	106.0	-13.0	106.0	110.0	-4.0
5129	19	23	8	J1	6	96.0	113.0	-17.0	113.0	107.0	6.0
5129	20	21	11	D1	6	181.0	255.6	-74.6	231.0	199.6	31.4
5129	20	21	11	N1	6	197.0	-	N/A	213.8	209.5	4.3
5129	20	22	1	Q1	6	101.8	117.0	-15.2	112.5	115.3	-2.8
5129	20	22	2	C1	6	107.0	113.2	-6.2	112.0	114.4	-2.4
5129	20	22	3	P1	6	92.6	106.6	-14.0	105.5	116.6	-11.1
5129	20	22	4	D1	6	81.0	94.0	-13.0	92.0	94.8	-2.8
5129	20	22	5	L1	6	193.6	227.0	-33.4	185.5	168.8	16.7
5129	20	22	6	C1	6	279.5	246.0	33.5	229.5	176.0	53.5
5129	20	22	6	H1	6	264.4	246.0	18.4	183.5	159.8	23.7
5129	20	22	7	A2	6	188.8	235.0	-46.2	194.9	156.7	38.2
5129	20	22	7	A4	6	-	-	N/A	-	-	N/A
5129	20	22	8	J1	6	114.9	131.0	-16.1	120.9	138.4	-17.5
5129	20	22	9	H1	6	141.3	176.5	-35.2	152.2	144.3	7.9
5129	20	22	15	A1	6	-	-	N/A	-	-	N/A
5129	20	22	20	A2	6	47.0	67.0	-20.0	73.8	80.4	-6.6
5129	20	23	5	J1	6	89.0	106.0	-17.0	106.0	110.0	-4.0
5129	20	23	8	G1	6	-	122.0	N/A	122.0	95.0	27.0
5603	18	22	32	J1	6	100.2	107.2	-7.0	116.2	120.2	-4.0
5603	18	22	34	R1	6	75.5	82.7	-7.2	-	80.7	N/A
5603	18	22	36	P1	6	-	-	N/A	-	-	N/A
5603	18	22	36	P2	6	-	-	N/A	-	-	N/A
5603	19	21	13	A1	6	115.6	112.6	3.0	176.6	179.6	-3.0
5603	19	21	13	C3	6	111.0	130.0	-19.0	169.0	171.0	-2.0
5603	19	21	23	A3	6	-	-	N/A	-	-	N/A
5603	19	21	25	P1	6	-	-	N/A	-	-	N/A
5603	19	21	34	D1	6	147.5	156.5	-9.0	-	-	N/A
5603	19	22	1	N2	6	70.5	79.5	-9.0	86.5	87.5	-1.0
5603	19	22	2	K1	6	68.8	-	N/A	88.8	84.8	4.0
5603	19	22	9	J1	6	81.0	78.0	3.0	86.0	86.0	0.0
5603	19	22	10	R2	6	64.0	90.0	-26.0	106.0	-	N/A
5603	19	22	16	A2	6	-	-	N/A	-	-	N/A
5603	19	22	17	E1	6	41.6	32.6	9.0	43.6	-	N/A
5603	19	22	17	L1	6	75.4	82.4	-7.0	105.4	107.4	-2.0

KAWEAH DELTA WATER CONSERVATION DISTRICT GROUNDWATER READINGS

AGENCY CODE	TOWNSHIP (EAST)	RANGE (SOUTH)	SECTION	LOCATION CODE	HYDROLOGIC ZONE	SPRING			FALL		
						2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH	2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH
5603	19	22	21	C1	6	118.0	100.0	18.0	153.0	169.5	-16.5
5603	19	22	22	A1	6	73.0	91.0	-18.0	83.0	88.0	-5.0
5603	19	22	23	A1	6	84.5	84.5	0.0	120.5	125.5	-5.0
5603	19	22	24	B1	6	137.8	-	N/A	92.8	91.8	1.0
5603	19	22	28	D1	6	95.0	93.0	2.0	95.0	132.0	-37.0
5603	19	22	30	D1	6	57.5	64.5	-7.0	71.5	71.5	0.0
5603	19	22	31	B2	6	80.0	73.0	7.0	76.0	123.0	-47.0
5603	19	22	33	D2	6	-	-	N/A	-	-	N/A
5603	19	22	34	L1	6	95.5	110.5	-15.0	122.5	112.5	10.0
5603	19	23	6	H1	6	105.0	96.0	9.0	124.0	139.0	-15.0
5603	19	23	7	A2	6	103.5	109.5	-6.0	126.5	129.5	-3.0
5603	19	23	21	C1	6	80.4	91.4	-11.0	93.4	99.9	-6.5
5603	20	21	36	P1	6	238.0	230.0	8.0	-	238.0	N/A
5603	20	22	3	C2	6	93.0	103.0	-10.0	112.0	112.5	-0.5
5603	20	22	4	C1	6	83.0	93.0	-10.0	97.0	101.0	-4.0
5603	20	22	7	A3	6	129.0	151.0	-22.0	232.0	197.5	34.5
5603	20	22	7	M1	6	-	-	N/A	-	-	N/A
5603	20	22	8	A2	6	109.0	135.0	-26.0	-	158.0	N/A
5603	20	22	13	C1	6	-	-	N/A	-	225.5	N/A
5603	20	22	14	C1	6	-	-	N/A	-	222.5	N/A
5603	20	22	23	M1	6	-	-	N/A	-	-	N/A
5603	20	22	24	R1	6	188.5	-	N/A	-	219.5	N/A
5603	20	22	27	A1	6	84.5	-	N/A	99.5	104.5	-5.0
5603	20	22	28	H1	6	-	-	N/A	-	-	N/A
5603	20	22	33	F1	6	83.0	105.0	-22.0	-	106.0	N/A
5603	20	22	35	L1	6	-	-	N/A	-	-	N/A
5603	20	22	36	A1	6	99.0	118.0	-19.0	125.5	131.0	-5.5
5603	20	23	11	C1	6	84.6	118.6	-34.0	145.6	154.6	-9.0
5603	20	25	2	A1	6	52.5	60.5	-8.0	68.5	69.5	-1.0
5603	21	23	2	A1	6	118.0	155.5	-37.5	159.5	179.5	-20.0
5603	21	23	2	K1	6	-	-	N/A	-	-	N/A
5603	21	23	3	D1	6	84.8	109.8	-25.0	99.8	121.3	-21.5
5603	21	23	7	J1	6	93.0	121.0	-28.0	-	121.0	N/A
5603	21	23	11	D1	6	152.5	181.5	-29.0	229.5	-	N/A
5603	21	23	12	C1	6	83.5	108.5	-25.0	99.5	101.5	-2.0
5603	21	23	13	A2	6	86.0	118.0	-32.0	-	-	N/A
5603	21	23	17	M1	6	203.5	240.5	-37.0	-	-	N/A
5603	21	23	22	J1	6	88.0	-	N/A	-	96.5	N/A
5603	21	24	3	L1	6	79.4	126.4	-47.0	211.4	199.4	12.0
5603	21	24	5	H2	6	83.2	91.2	-8.0	132.7	123.7	9.0
5603	21	24	7	B1	6	82.5	95.0	-12.5	132.0	140.5	-8.5
5603	21	24	8	A1	6	84.4	74.9	9.5	111.4	97.4	14.0
5603	21	24	9	C1	6	67.0	74.0	-7.0	92.0	90.0	2.0
5603	21	24	18	A1	6	81.0	89.0	-8.0	88.0	110.0	-22.0
5604	19	23	21	P1	6	79.0	95.0	-16.0	94.0	100.0	-6.0
5604	19	23	27	P1	6	81.0	83.0	-2.0	90.0	85.0	5.0
5604	19	23	30	H2	6	86.0	95.0	-9.0	101.0	100.0	1.0
5604	19	23	31	R1	6	94.0	98.0	-4.0	105.0	107.0	-2.0
5604	19	23	32	H1	6	78.0	99.0	-21.0	102.0	-	N/A
5604	19	23	34	L1	6	75.0	87.0	-12.0	94.0	89.0	5.0

KAWEAH DELTA WATER CONSERVATION DISTRICT GROUNDWATER READINGS

AGENCY CODE	TOWNSHIP (EAST)	RANGE (SOUTH)	SECTION	LOCATION CODE	HYDROLOGIC ZONE	SPRING			FALL		
						2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH	2002 DEPTH TO WATER	2003 DEPTH TO WATER	CHANGE IN DEPTH
5604	20	22	1	H1	6	104.0	104.0	0.0	114.0	112.0	2.0
5604	20	22	25	R1	6	103.0	121.0	-18.0	-	135.0	N/A
5604	20	23	3	L1	6	84.0	94.0	-10.0	98.0	101.0	-3.0
5604	20	23	4	F1	6	87.0	101.0	-14.0	103.0	107.0	-4.0
5604	20	23	7	H3	6	109.0	115.0	-6.0	116.0	121.0	-5.0
5604	20	23	8	H1	6	96.0	114.0	-18.0	119.0	122.0	-3.0
5604	20	23	9	J2	6	87.0	96.0	-9.0	101.0	99.0	2.0
5604	20	23	11	L1	6	-	103.0	N/A	107.0	110.0	-3.0
5604	20	23	13	E2	6	93.0	-	N/A	109.0	111.0	-2.0
5604	20	23	15	A1	6	92.0	102.0	-10.0	107.0	104.0	3.0
5604	20	23	16	J1	6	93.0	104.0	-11.0	105.0	106.0	-1.0
5604	20	23	17	C1	6	103.0	116.0	-13.0	118.0	129.0	-11.0
5604	20	23	18	R1	6	109.0	128.0	-19.0	128.0	136.0	-8.0
5604	20	23	19	J1	6	104.0	124.0	-20.0	124.0	132.0	-8.0
5604	20	23	21	B1	6	-	115.0	N/A	110.0	124.0	-14.0
5604	20	23	24	L1	6	95.0	104.0	-9.0	109.0	109.0	0.0
5604	20	23	25	J2	6	122.0	122.0	0.0	132.0	161.0	-29.0
5604	20	23	26	C1	6	110.0	126.0	-16.0	124.0	118.0	6.0
5604	20	23	26	R1	6	97.0	104.0	-7.0	104.0	109.0	-5.0
5604	20	23	27	D1	6	92.0	101.0	-9.0	107.0	117.0	-10.0
5604	20	23	27	R1	6	102.0	104.0	-2.0	107.0	-	N/A
5604	20	23	29	J2	6	105.0	104.0	1.0	109.0	112.0	-3.0
5604	20	23	30	R1	6	110.0	128.0	-18.0	122.0	-	N/A
5604	20	23	31	N1	6	-	-	N/A	-	-	N/A
5604	20	24	30	J2	6	84.0	98.0	-14.0	100.0	101.0	-1.0
5604	20	24	31	R1	6	78.0	85.0	-7.0	90.0	90.0	0.0
5604	20	24	33	C1	6	80.0	-	N/A	91.0	74.0	17.0
5604	21	23	2	C1	6	97.0	100.0	-3.0	108.0	106.0	2.0
5604	21	23	3	N1	6	79.0	92.0	-13.0	95.0	110.0	-15.0
5604	21	23	4	A1	6	82.0	107.0	-25.0	102.0	105.0	-3.0
5604	21	23	5	A2	6	86.0	102.0	-16.0	106.0	111.0	-5.0
5604	21	23	5	E2	6	80.0	106.0	-26.0	108.0	123.0	-15.0
5604	21	23	5	R1	6	80.0	97.0	-17.0	100.0	110.0	-10.0
5604	21	23	7	H1	6	82.0	118.0	-36.0	105.0	114.0	-9.0
5604	21	23	8	F2	6	86.0	102.0	-16.0	104.0	123.0	-19.0
5604	21	23	8	R1	6	74.0	92.0	-18.0	91.0	104.0	-13.0
5604	21	23	10	J2	6	90.0	95.0	-5.0	98.0	112.0	-14.0
5604	21	23	14	C1	6	99.0	108.0	-9.0	111.0	130.0	-19.0
5604	21	23	21	C2	6	80.0	100.0	-20.0	99.0	-	N/A
5604	21	23	21	C3	6	-	-	N/A	144.0	125.0	19.0
5604	21	23	22	H1	6	87.0	-	N/A	105.0	112.0	-7.0
5604	21	24	4	F1	6	107.0	110.0	-3.0	-	172.0	N/A

Wells compared = 106

Wells compared = 102

Zone 6 for KDWCD - TID - Kings

Change in water depth = -13.6

Change in water depth = -1.4